

Assessment of wound-healing activity of zinc oxide nanoparticles

Vadim Albertovich Melkumyan^{1*}, Dzhamilya Abdulvagabovna Kurbanova¹, Rusalina Serazhutdinovna Magomedgadzhieva¹, Masis Vaagovich Khidiryan¹, Stanislav Andreevich Eremin¹, Vladimir Sergeevich Stepanenko¹, Amina Alhazurovna Dzhankaeva², Aida Mikhailovna Tanasheva³

¹Department of Therapy, Faculty of Pediatrics, Stavropol State Medical University, Stavropol, Russia. ²Department of Therapy, Faculty of Medicine, Russian University of Medicine, Moscow, Russia. ³Department of Therapy, Faculty of Medicine, Saratov State Medical University named after V.I. Razumovsky, Saratov, Russia.

Correspondence: Vadim Albertovich Melkumyan, Department of Therapy, Faculty of Pediatrics, Stavropol State Medical University, Stavropol, Russia. ucky99@ya.ru.

ABSTRACT

The article presents the results of studying the effect of a complex of zinc oxide nanoparticles on the reparative regeneration of an experimental wound. The analysis of data from planimetric studies (changes in the area of the wound in dynamics, the rate of wound healing, the daily change in the area of the wound) showed a high wound healing activity of the drug, statistically significantly superior to the indicators in the comparison group. Zinc oxide nanoparticles, in addition to regenerating, have an antimicrobial effect and prevent secondary contamination of the wound, which also contributes to full-fledged reparative regeneration. It has been proven that topical application of the drug in animals with experimental conditionally aseptic wounds provides pronounced regenerating and antibacterial effects. This drug can be used to treat skin and soft tissue injuries of various etiologies. The use of the drug for local wound treatment at all stages of complex treatment will reduce the duration of systemic antimicrobial therapy, avoid the development of side effects, significantly reduce the cost of expensive antibacterial drugs, and avoid the formation of resistance of microflora to the systemic antibiotics used.

Keywords: Nanoparticles, Zinc, Rats, Regeneration, Wound-healing activity

Introduction

Optimization of the processes of reparative regeneration of skin and soft tissue injuries caused by various mechanical, thermal, and other factors (purulent-inflammatory processes, dystrophic, etc.) remains an urgent scientific and practical task [1-3].

The use of nanomaterials is a promising direction for the creation of new drugs with a wound-healing effect [4, 5]. Metal nanoparticles have physicochemical properties that differ both from the properties of massive metal objects and from the properties of individual atoms [6]. When ingested into living

organisms, nanoscale metal particles cause a biological response that differs from the action of the traditional ionic form of the elements [7].

Topical preparations based on metal nanoparticles are used for topical treatment (water-soluble ointments, sorbents, enzymes, foam and film-forming aerosols, hydrocolloids, alginates, wound coatings, modified suture materials, etc.) [8-11].

The study of the properties of metal nanoparticles has shown their wound-healing activity, and regenerating and bactericidal properties, which makes their use promising for the treatment of purulent inflammatory complications [12-14].

Ultrafine zinc has a pronounced antibacterial effect, zinc ions released from the surface of nanoparticles inhibit the action of respiratory enzymes, which leads to the activation of free oxygen and damage to the bacterial cell [15, 16].

The auxiliary powdered component actively absorbs blood and wound exudate, which are a nutrient medium for bacteria [17, 18]. Unlike regenerating and antibacterial creams and ointments, powder-based preparations do not create films on the wound, which provides free oxygen access to damaged tissue cells,

Access this article online

Website: www.japer.in

E-ISSN: 2249-3379

How to cite this article: Melkumyan VA, Kurbanova DA, Magomedgadzhieva RS, Khidiryan MV, Eremin SA, Stepanenko VS, et al. Assessment of wound-healing activity of Zinc Oxide nanoparticles. J Adv Pharm Educ Res. 2024;14(1):73-6. <https://doi.org/10.51847/0SQk1Cmx1X>

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-Non Commercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

accelerating the natural healing processes [19]. The drugs have a pronounced draining and deodorizing effect, due to the removal of intradermal pressure, due to their sorption properties, analgesia of damaged skin areas occurs [20].

It is relevant to assess the effect of topical application of zinc nanoparticles in combination with starch on the healing dynamics of an experimental full-layer wound. The work aimed to evaluate the effect of a complex preparation consisting of zinc nanoparticles and an auxiliary powdered component on the reparative regeneration of an experimental wound.

Materials and Methods

Zinc nanoparticles obtained using plasma technology were used in the work. Based on them, a drug for the regeneration of soft tissues with an antibacterial effect has been developed, having a powdered form and containing zinc nanoparticles, as well as sterile starch as a powdered base.

The experiment was conducted on 40 white mongrel rats weighing 170 ± 20 g. The studies were conducted by the Helsinki Declaration of 1975 and its revision in 1983. The model of a full-layered wound was obtained as follows: after pretreatment of the skin, under aseptic conditions, under anesthesia, on a fur-shaven area in the interscapular region, the skin with subcutaneous tissue in the form of a 2×2 cm square (400 mm^2) along the contour previously stenciled [21]. The wound surface of the experimental group was treated once with 300 mg of a complex powdered preparation with zinc nanoparticles.

The appearance of the wound with the applied complex preparation is shown in **Figure 1**.



Figure 1. Model of a full-layer wound with a complex preparation based on zinc nanoparticles (the first day)

Statistical analysis allowed us to confirm the reliability of the results obtained. The normality of the distribution of quantitative indicators was checked using the Kolmogorov – Smirnov criterion, the coefficients of asymmetry, and kurtosis. The differences between the samples were evaluated using the Student's t-test since the variables corresponded to a normal distribution. The following statistical indicators were used in the analysis: n is the number of observations; M is the arithmetic mean; m is the standard error; p is the confidence coefficient.

The results were considered reliable at $p < 0.05$, which meets the requirements for biomedical research.

Results and Discussion

The analysis of data from planimetric studies (dynamics of wound area, wound healing rate, daily decrease in wound area) reflecting the activity of reparative regeneration of the experimental wound was carried out. The study of the dynamics of the area of a conditionally aseptic wound in experimental animals is given in **Table 1**.

Table 1. Change in the area of the wound surface in experimental animals

Day	The area of the conditionally aseptic wound in experimental animals, M, mm ²	
	Comparison group, n=20	Experimental group, n =20
1	425.1±11.3	412.8±21.6
3	395.3±10.7	211.4±17.3 (p<0.01)
5	438.7±15.3	74.3±8.4 (p<0.001)
7	218.4±9.3	36.8±3.2 (p<0.001)
10	156.1±7.3	0.0±0.0 (p<0.001)
14	22.9±7.3	0.0±0.0 (p<0.001)

Note: p is the confidence level of the differences in the indicators about the comparison group.

The use of the complex drug had a pronounced effect on wound regeneration at all times of control measurements, by the 10th day of the study, complete wound healing was observed in the experimental group, while in the comparison group, the healing percentage was 61.2%.

In five animals of the comparison group, an increase in the wound area by 30-35% was noted about baseline values on the 5th day of the study. During bacteriological examination in these animals, *E. coli* in the amount of $7 \cdot 10^6$ CFU/ml was isolated and identified from the wound discharge. Thus, secondary infection of the wound with intestinal autoflora was observed, leading to an increase in the wound surface and a slowdown in the reparative regeneration of the wound.

In all animals of the group treated with a powdered preparation based on zinc nanoparticles, dynamic healing of the experimental wound occurred against the background of the absence of secondary infection of the wound.

The analysis of the daily decrease in the area of the experimental wound in animals of the experimental group and the comparison group was carried out, the results of which are shown in **Figure 2**.

An analysis of the daily decrease in the area of wounds in dynamics in experimental animals showed that the maximum decrease in the area of the experimental wound ($p < 0.001$) occurred under the action of a complex preparation on the 3rd-5th day after wound modeling – $28.3 \pm 3.9\%$, then on the 5th-7th day, the average daily decrease in the area of wounds decreased slightly to $18.7 \pm 2.8\%$. This is because some of the animals had complete wound healing. The daily decrease in the

area of experimental wounds in the experimental group at all periods was significantly higher than in the comparison group, where the indicators had significantly lower values ($p < 0.01$), did not exceed $8.2 \pm 1.2\%$ per day, and tended to increase by the end of the observation period.




Figure 2. Daily decrease in the area of experimental wounds (in %)


One of the planimetric characteristics of the reparative regeneration of an experimental wound is the rate of wound healing (mm/day). The healing rate of a conditionally aseptic wound during treatment with a complex drug significantly exceeds similar indicators ($p < 0.001$) in the comparison group, which is reflected in **Table 2**.

Table 2. The healing rate of conditionally aseptic wounds (mm/day) in experimental animals ($M \pm m$)

Day	The healing rate of conditionally aseptic wounds (mm/day) in experimental animals ($M \pm m$)	
	Comparison group, n=20	Experimental group, n=20
3	23.3±3.6	54.3±7.1 ($p < 0.01$)
5	14.1±8.3	85.2±2.4 ($p < 0.001$)
7	12.3±3.5	39.6±4.4 ($p < 0.001$)
10	21.2±6.7	0 ($p < 0.001$)

Note: p is the confidence level of the differences in the indicators about the comparison group.

The analysis of the wound area healing rate statistically reliably demonstrates the difference between animal groups ($p < 0.001$) at all follow-up periods, which proves a positive effect on the reparative regeneration of the complex preparation (**Figure 3**).



a)



b)

Figure 3. The experimental wound of an animal of the experimental group a) and the comparison group b) on the 10th day of the study

The study of planimetry indicators: dynamics of the wound area, wound healing rate, and daily reduction of the wound area showed high wound healing activity of the developed complex preparation. Zinc nanoparticles included in the preparation, in addition to regenerating, have an antimicrobial effect and prevent wound infection, which is important for full-fledged reparative regeneration. The drug does not require wound-damaging removal from the wound surface, and creates optimal conditions for the action of the main therapeutic components - zinc nanoparticles, causing their total effect to exceed the activity of the initial components. The choice of a complex drug for the treatment of infected and purulent wounds is considered etiologically and pathogenetically justified due to its activity at a high level of bacterial contamination with antibiotic-resistant gram-positive and gram-negative microorganisms.

Conclusion

The developed preparation based on zinc nanoparticles has a pronounced stimulating effect on the reparative regeneration of soft tissues and can be used for various types of damage to the integumentary tissues. The use of the drug for local wound treatment at all stages of complex treatment will reduce the duration of systemic antimicrobial therapy, avoid the development of side effects, significantly reduce the cost of expensive antibacterial drugs, and avoid the formation of resistance of microflora to the systemic antibiotics used.

Acknowledgments: All the authors were involved in the conceptualization, methodology, formal analysis, writing, and editing of the manuscript.

Conflict of interest: None

Financial support: None

Ethics statement: The protocol for experiments with laboratory animals complied with the requirements of the European Convention for the Protection of Vertebrate Animals used for Experimental and other Scientific Purposes.

References

1. Rezaie F, Momeni-Moghaddam M, Naderi-Meshkin H. Regeneration and repair of skin wounds: Various strategies for treatment. *Int J Low Extrem Wounds*. 2019;18(3):247-61. doi:10.1177/1534734619859214
2. Han G, Ceilley R. Chronic wound healing: A review of current management and treatments. *Adv Ther*. 2017;34(3):599-610. doi:10.1007/s12325-017-0478-y
3. Bhardwaj N, Chouhan D, Mandal BB. Tissue engineered skin and wound healing: Current strategies and future directions. *Curr Pharm Des*. 2017;23(24):3455-82. doi:10.2174/1381612823666170526094606
4. Shalaby MA, Anwar MM, Saeed H. Nanomaterials for application in wound healing: Current state-of-the-art and future perspectives. *J Polym Res*. 2022;29(3):91. doi:10.1007/s10965-021-02870-x
5. Girija AR, Balasubramanian S, Cowin AJ. Nanomaterials-based drug delivery approaches for wound healing. *Curr Pharm Des*. 2022;28(9):711-26. doi:10.2174/1381612828666220328121211
6. Joudeh N, Linke D. Nanoparticle classification, physicochemical properties, characterization, and applications: A comprehensive review for biologists. *J Nanobiotechnol*. 2022;20(1):262. doi:10.1186/s12951-022-01477-8
7. Zhao D, Zhang W, Wu ZH, Xu H. Nanoscale metal-organic frameworks and their nanomedicine applications. *Front Chem*. 2022;9:834171. doi:10.3389/fchem.2021.834171
8. Bessar H, Venditti I, Benassi L, Vaschieri C, Azzoni P, Pellacani G, et al. Functionalized gold nanoparticles for topical delivery of methotrexate for the possible treatment of psoriasis. *Colloids Surf B Biointerfaces*. 2016;141:141-7. doi:10.1016/j.colsurfb.2016.01.021
9. Shaikh AA, Pawar JB, Anbhule SJ, Kakade VV. Review on nanoparticles for topical drug delivery. *Int J Pharm Chem Anal*. 2023;10(1):8-14.
10. Blinov AV, Nagdalian AA, Povetkin SN, Gvozdenko AA, Verevkin MN, Rzhepakovsky IV, et al. Surface-oxidized polymer-stabilized silver nanoparticles as a covering component of suture materials. *Micromachines*. 2022;13(7):1105. doi:10.3390/mi13071105
11. Ngoro X, Adeyemi SA, Urbanako P, Ndinteh DT, Kumar P, Choonara YE, et al. A Topical alginate-based wound gel fixated with metal-based nanoparticles and tranexamic acid as a hemostatic wound healing system. *Bionanoscience*. 2023;13(4):2400-17. doi:10.1007/s12668-023-01208-9
12. Magomedov MA, Shebzukhov NR, Timerbulatova TR, Adzhieva ME, Murdalov RA, Ilbekov RK, et al. A proposed insight into the anti-viral potential of silver nanoparticles against novel coronavirus disease (COVID-19). *J Pharm Res Int*. 2021;33(41B):79-93. doi:10.9734/jpri/2021/v33i41B32347
13. Bachinina KN, Povetkin SN, Simonov AN, Pushkin SV, Blinova AA, Sukhanova ED, et al. Effects of selenium preparation on morphological and biochemical parameters of quail meat. *Int Trans J Eng Manag Appl Sci Technol*. 2021;12(13):1-7.
14. Pan S, Goudoulas TB, Jeevanandam J, Tan KX, Chowdhury S, Danquah MK. Therapeutic applications of metal and metal-oxide nanoparticles: Dermato-cosmetic perspectives. *Front Bioeng Biotechnol*. 2021;9:724499. doi:10.3389/fbioe.2021.724499
15. Gudkov SV, Burmistrov DE, Serov DA, Rebezov MB, Semenova AA, Lisitsyn AB. A mini review of antibacterial properties of ZnO nanoparticles. *Front Phys*. 2021;9:641481. doi:10.3389/fphys.2021.641481
16. Blinov AV, Kachanov MD, Gvozdenko AA, Nagdalian AA, Blinova AA, Rekhman ZA, et al. Synthesis and characterization of zinc oxide nanoparticles stabilized with biopolymers for application in wound-healing mixed gels. *Gels*. 2023;9(1):57. doi:10.3390/gels9010057
17. Jankau J, Błażyńska-Spychalska A, Kubiak K, Jędrzejczak-Krzepkowska M, Pankiewicz T, Ludwicka K, et al. Bacterial cellulose properties fulfilling requirements for a biomaterial of choice in reconstructive surgery and wound healing. *Front Bioeng Biotechnol*. 2022;9:805053. doi:10.3389/fbioe.2021.805053
18. Rzhepakovsky I, Piskov S, Avanesyan S, Sizonenko M, Timchenko L, Anfinogenova O, et al. Composite of bacterial cellulose and gelatin: A versatile biocompatible scaffold for tissue engineering. *Int J Biol Macromol*. 2023;256(P1):128369. doi:10.1016/j.ijbiomac.2023.128369
19. Zheng L, Li S, Luo J, Wang X. Latest advances on bacterial cellulose-based antibacterial materials as wound dressings. *Front Bioeng Biotechnol*. 2020;8:593768. doi:10.3389/fbioe.2020.593768
20. Ramadon D, McCrudden MTC, Courtenay AJ, Donnelly RF. Enhancement strategies for transdermal drug delivery systems: Current trends and applications. *Drug Deliv Transl Res*. 2022;12(4):758-91. doi:10.1007/s13346-021-00909-6
21. Lyashenko EN, Uzbekova LD, Polovinkina VV, Dorofeeva AK, Ibragimov S-US-u, Tatamov AA, et al. Study of the embryonic toxicity of TiO₂ and ZrO₂ nanoparticles. *Micromachines*. 2023;14(2):363. doi:10.3390/mi14020363