

Caralluma fimbriata - Pharmacological review

Saftar Asmi¹, T. Lakshmi^{1*}, R. Parameswari²

¹Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha University, Chennai, Tamil Nadu, India, ²Senior Research Fellow, Sri Ramachandra University Centre for Indian Systems and Medicine, Chennai, Tamil Nadu, India.

Correspondence: T. Lakshmi, Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha University, Chennai, Tamil Nadu, India. E-mail: Lakshmi085 @ gmail.com.

ABSTRACT

Caralluma fimbriata (CF) has been used as an appetite suppressant herb for millennia. It also has antioxidant, antidiabetic, and nootropic actions. It is proved that it is a natural antiobesogenic agent and is widely consumed in India. It's actions like anti-atherosclerotic and analgesic is of high medicinal value. The objective of this article is to highlight various uses of CF along with its use in medical problems.

Keywords: *Caralluma fimbriata*, appetite suppressant, adiposity

Introduction

Caralluma is an edible plant used by tribes in India, to suppress hunger and enhance endurance.^[1-14] *Caralluma* is an erect branched herb, 20–30 cm tall. Stems are leafless, 4-angled, fleshy, green, and tapering to a point. Leaves are minute, present only on young branches, soon falling off, and leaving a tooth-like projection on the angles. Flowers are borne at the end of branches, singly or 2–3 together on short stalks. Flowers are like wheels, 2 cm across. Petals are narrow, purple with yellow marking, and margins frilly with hairs. Fruits are 10–12 cm long, cylindrical with one of the pairs often suppressed. It has been eaten in rural India for centuries, raw, as a vegetable with spices, or preserved in chutneys and pickles, and is often found as a roadside shrub or boundary marker. It has been used as a portable food and thirst quencher for hunting. It is also used for its purported ability to suppress hunger and appetite and enhance stamina.^[3, 15-24] Tribesmen on a day's hunt will often only pack some *Caralluma* to sustain themselves, and hence, it is commonly considered a "famine food" in India.^[4, 25-33] *Caralluma* (family Asclepiadaceae) is a genus containing 50 variable species of succulent plants^[5, 34-41]. It is a widespread dwarf stem succulent that occurs throughout western Africa, southwest Asia, and the Indian subcontinent.^[6, 42-47] It is more common in peninsular India.^[7] It is a new arrival in the family of succulent plants that are becoming increasingly popular for their appetite suppressant^[8, 48] and weight loss properties^[9] as well as their ability to lower blood sugar.^[10] Studies have also revealed the nootropic,^[11] nociceptive,^[12] and antioxidant actions^[13] of *Caralluma imbricata* (CF).

Appetite suppressant

Access this article online

Website: www.japer.in

E-ISSN: 2249-3379

How to cite this article: Saftar Asmi, T. Lakshmi, R. Parameswari. *Caralluma fimbriata*-Pharmacological review. J Adv Pharm Edu Res 2017;7(3):175-177.

Source of Support: Nil, Conflict of Interest: None declared.

Caralluma is used as an appetite suppressor and can be used as supplement for reducing weight. *Caralluma* contains pregnane glycosides, a class of naturally occurring compounds thought to inhibit the formation of fat. Show that supplementation with CF can lead to a clinically meaningful reduction in central adiposity, a key component of metabolic syndrome associated with other risk factors such as elevated blood pressure and cardiovascular disease. Although very little is known about the safety of using *Caralluma* on long term.^[8]

Antidiabetic action

Through a study on effect of methanol extract of CF (MCF) on streptozotocin (STZ) 50 mg/kg b.w. induced diabetic rats proved that the MCF significantly controlled the diabetic condition including oxidative stress in liver and kidney. This finding has a significant role in maintaining the health of individual in the modern lifestyle and food habits, where diabetes is a constant companion of workforce.^[10]

Action against high-fat diet-induced insulin resistance

In a study done to investigate the beneficial effects of hydroalcoholic extract of CF (CFE) on high-fat diet feeding on insulin resistance and oxidative stress in Wistar rats. The study concluded that intake of CFE may be beneficial for the suppression of high-fat diet-induced insulin resistance and oxidative stress.^[14]

Antiobesogenic action

One human intervention (n=62 at baseline, 50 completions) on *Caralluma* ingestion in overweight persons noted that 1 g (made from aerial parts of the plant, 40/60 aqueous/ethanolic extract; 12:1 concentrated extract equivalent to 12 g dried plant) was able to induce 2.5% weight loss in 60 days, whereas placebo-induced 1.2% weight loss when both groups were subjected to "standard weight loss through caloric restriction." Only waist circumference decreased in a statistically significant manner, while weight and body fat trended toward significance with p=0.15 and 0.07, respectively. Antiobesogenic action of

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-Non Commercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

CF was proved by a study in which the diet-induced obesity (DIO) rat model was used to investigate CFE's anorexigenic effects. Rats were randomly divided into three groups:

(i) Untreated control (C), (ii) control for cafeteria diet (CA), and (iii) cafeteria diet-fed + CFE treated. Rats in the test group received cafeteria diet and CFE from day 1 onward. CFE was administered by gavage at three doses (25, 50, and 100 mg/kg BW per day) for 90 days. The antiobesogenic effects of CFE were evaluated by monitoring changes in feed intake, body weight, serum lipid and hormonal (leptin) profiles, fat pads, and liver weight.^[15]

Nootropic action

Ramaswamy Rajendran, Digambar Balkrishna Ambikar, Rakesh Arun Khandare, Vrushali Dattatraya Sannapuri, Niraj Sudhakar Vyawahare, and Paul Clayton investigated the effects of a standardized CFE wall on learning and memory in mice using various behavioral models. It was proved that CFE exerts both nootropic and anxiolytic activity.

Antinociceptive action

A study used petroleum ether, chloroform, and aqueous methanolic extracts of dried leaves of CF at the doses of 100 and 200 mg/kg and was evaluated for the analgesic activity using the hot plate and acetic acid-induced abdominal constrictions in mice. CF leaf extracts showed significant analgesic properties in all the models studied^[16].

Antioxidant action

The levels of total phenolics and flavonoids of the extracts were determined in a study done on antioxidant capacity and amino acid analysis of CF. The study revealed that methanol and water extracts had good total phenolic and flavonoid contents showed potent antioxidant and free radical scavenging activities. The antioxidant activity was correlated well with the amount of total phenolics present in the extracts. The extracts and its components may be used as an additive in food preparations and nutraceuticals^[17].

Effect on long-term hypoperfusion

A research done on effect of Slimaluma (SL), an enriched phytochemical composition of CF in long-term hypoperfusion injury in rats has investigated the effect of SL, a branded product and an enriched phytochemical composition developed from CFa traditionally claimed neuroprotective agent, against long-term hypoperfusion-induced damage using two different paradigms for the behavioral studies in the rats. 36 male Wistar rats were used for two different models (open field test, Morris water maze), each having three groups (sham-operated control, vehicle-treated control, SL - 500 mg/kg p.o.) The permanent BCCAO was carried out with the 3.0 silk suture followed by the survival surgery. Based on the reserach, SL treatment showed significant attenuation which demonstrates improvements in the spatial memory impairment. The outcomes of permanent BCCAO include altered spatial discrimination and induction of anxiety being significantly attenuated by SL treatment^[18].

Conclusion

For curing all ailments of workforce, nature has provided a storehouse of remedies including drugs in the form of herbs, plants and algae to cure the incurable diseases without any toxic effect. There is evidence that the principles present in the widely consumed Indian food plant

CF extracts suppress appetite, providing metabolic and antiobesogenic benefits. *Caralluma* has antioxidant and antidiabetic action apart from the role of appetite suppressant. It has been proved that it also has analgesic property which adds on to its medicinal value. All these qualities suggest the importance of CF in different aspects.

References

1. Available from: <http://www.carallumafimbriatas.com/caralluma-fimbriata-common-names>. [Last accessed on 2013 Oct 10].
2. Joshi VC, Rao AS, Wang YH, Avula B, Khan IA. Authentication of *Caralluma adscendens* var. *fimbriata* (Wall.) Gravelly & Mayur. *Planta Med* 2009; 75:18.
3. Available from: <http://www.flowersofindia.net/catalog/slides/Caralluma.html>. [Last accessed on 2014 Mar 16]
4. Available from: <http://www.garciniacambogiafordiet.com/caralluma-fimbriata5Y>. [Last accessed on 2017 May 21].
5. Kunert O, Rao VG, Babu GS, Sujatha P, Sivagamy M, Anuratha S, et al., Pregnane glycosides from *Caralluma adscendens* var. *fimbriata*. *Chem Biodivers* 2008; 5:239-50.
6. Shukla YJ, Khan IA. Phytochemical constituents of *Caralluma fimbriata*. *Planta Med* 2008; 74:114
7. Sukumaran S, Karuppusamy S, Sarasabai T, Brintha S, Jeeva S. New distribution record of *Boucerosia diffusa* Wight (Gentianales Apocynaceae) In the Southern Western Ghats, India. *Biodiversity Journal* 2013;4(3):395-398.
8. Kuriyan R, Raj T, Srinivas SK, Vaz M, Rajendran R, Kurpad AV. Effect of *Caralluma fimbriata* extract on appetite, food intake and anthropometry in adult Indian men and women. *Appetite* 2007; 48:338-44.
9. Available from: http://www.altmedicine.about.com/od/weight_Loss/a/Caralluma.htm. [Last accessed on 2016 Sep 12].
10. Latha S, Rajaram K, Kumar PS. Hepatoprotective and antidiabetic effect of methanol extract of *Caralluma fimbriata* in streptozocin induced diabetic albino rats. *Int J Pharm Pharm Sci* 2014; 6:975-1491.
11. Rajendran R, Ambikar DB, Khandare RA, Sannapuri VD, Vyawahare NS, Clayton P. Nootropic activity of *Caralluma fimbriata* extract in mice. *Food Nutr Sci* 2014; 5:147-52.
12. Ray S, Rahaman N, Basu A, Ray SG. Anti-nociceptive activity of leaf extract of *Caralluma fimbriata*, using albino mice. *J Pharm Biomed Sci* 2012; 18:2230-7885.
13. Maheshu V, Priyadarsini DT, Sasikumar JM. Antioxidant capacity and amino acid analysis of *Caralluma adscendens* (Roxb.) Haw var. *fimbriata* (wall.) Grav. & Mayur. aerial parts. *J Food Sci Technol* 2014; 51:2415-24
14. Sudhakara G, Mallaiah P, Sreenivasulu N, Rao BS, Rajendran R, Saralakumari D. Beneficial effects of hydro-alcoholic extract of *Caralluma fimbriata* against high-fat diet-induced insulin resistance and oxidative stress in Wistar male rats. *J Physiol Biochem* 2014; 70:311-20.
15. Kamalakkannan S, Rajendran R, Venkatesh RV, Clayton P, Akbarsha MA. Antiobesogenic and antiatherosclerotic properties of *Caralluma fimbriata* Extract. *J Nutr Metab* 2010;2010: Article ID: 285301, 6
16. Sayantan R, Noorjaman R, Arijit B, Suparna G. Anti-nociceptive activity of leaf extract of *Caralluma fimbriata*, using albino mice. *JPBMS*, 2012, 18 (15).
17. Vellingiri M, Deivamarudhachalam T.P, and Jagathala M. S. Antioxidant capacity and amino acid analysis of *Caralluma adscendens* (Roxb.) Haw var. *fimbriata* (wall.) Grav. & Mayur. aerial parts. *J Food Sci Technol*. 2014 Oct; 51(10): 2415–2424. Published online 2012 Jul 5.
18. Ramaswamy, R, Vyawahare, NS, Kshirsagar, A, Ambikar, D, Khandare, Deshmukh, V. Effect of Slimaluma, an enriched phytochemical composition of *Caralluma fimbriata* in long term hypoperfusion injury in rats. *Planta Medica* 74(09) July 2008.
19. Ghavimi MA, Talesh KT, Ghoreishizadeh A, Amani M, Divband A. Autogenous bone with collagen material and surgical for maxillary sinus membrane elevation (sinus lift) in

- human subjects. *Biomedical & Pharmacology Journal*. Vol. 6(2), 249-252 (2013).
20. Yazdani J, Hajizadeh S, Ghavimi MA, Pourghasem Gargari B, Nourizadeh A, Kananizadeh Y. Evaluation of changes in anthropometric indexes due to intermaxillary fixation following facial fractures. *J Dent Res Dent Clin Dent Prospects*. 2016 Fall;10(4):247-250. doi: 10.15171/joddd.2016.039.
 21. Yazdani J, Ghavimi MA, Jabbari Hagh E, Ahmadpour F. The Role of E-Cadherin as a Prognostic Biomarker in Head and Neck Squamous Carcinoma: A Systematic Review and Meta-Analysis. *Mol Diagn Ther*. 2018 Jul 13. doi: 10.1007/s40291-018-0351-y.
 22. Seyyed Vahid Dehnad, Mohammad Ali Ghavimi, Arezu Ghoreishizadeh, Parisa Falsefi, Ramin Negahdari, Amir Reza Babalou. The Comparison of Job Stress among Dental Professionals of Dentistry Faculty Members of Tabriz University. Volume 8, Supplementary Issue 1, 2016. <https://doi.org/10.18311/ajprhc/2016/7714>.
 23. Samiei M, Shahi S, Abdollahi AA, Eskandarinezhad M, Negahdari R, Pakseresht Z. The Antibacterial Efficacy of Photo-Activated Disinfection, Chlorhexidine and Sodium Hypochlorite in Infected Root Canals: An in Vitro Study. *Iran Endod J*. 2016 Summer;11(3):179-83. doi: 10.7508/iej.2016.03.006.
 24. Fakhrzadeh V, Gaffari T, Hamedirad F, Negahdari R, Nasrollah A. P, Eslami H. Influence of Preparation Design and Restorative Material to Marginal Discrepancy of Ceramic Laminate Veneers. *Biomed Pharmacol J* 2015;8(2).
 25. Fakhrzadeh V, Eslami H, Nasrollah A P, Negahdari R, Falsafi P, Sabeti M. The comparison of dimensional accuracy of modified two-stage putty-wash condensation s polyvinyl molding method and distance two-stage putty-wash MOLDING METHOD. *International Journal of Clinical Dentistry*. 2016, Vol. 9 Issue 4, p265-271. 7p.
 26. Pournasrollah A, Fakhrzade V, Eslami H, Negahdari R. Evaluation of shear bond strength between direct composite and zirconia. 2015. *Der Pharmacia Lettre*. <http://localhost:8080/xmlui/handle/123456789/13525>.
 27. Seyyed Vahid Dehnad, Mohammad Ali Ghavimi, Arezu Ghoreishizadeh, Parisa Falsefi, Ramin Negahdari, Amir Reza Babalou. The Comparison of Job Stress among Dental Professionals of Dentistry Faculty Members of Tabriz University. Volume 8, Supplementary Issue 1, 2016. <https://doi.org/10.18311/ajprhc/2016/7714>.
 28. Negahdari R, Rahbar M, Fakhrzadeh V, Eslami H, Akbari T, Bohluli S. Comparison of Proinflammatory Cytokine Levels in Gingival Crevicular Fluid around Dental Implants with Ceramic and Titanium Abutments. *J Contemp Dent Pract*. 2017 Sep 1;18(9):831-836.
 29. Khosravi A, Mousavi-Moghadam R, Zarei S. Evaluation of medical ethics among patients with nose and abdominal surgery. *Life Science Journal*. Volume 9, Issue 4, 25 December 2012, Pages 5778-5781.
 30. Mousavimoghadam SR, Hamedheydari S, Abbasalipour S. Examine the relationship between spiritual intelligence of employed mothers, teachers elementary with mental health of children aged 6-12 years in ILAM. *Der Pharmacia Lettre*. Volume 7, Issue 10, 2015, Pages 39-43.
 31. Musavimoghadam SR, Haji S, Chegeni ME, Veiskarami M. Examine the relationship between religious orientation, intelligence, ethical, and mental health among students Azad University of ILAM. *Der Pharmacia Lettre*. Volume 7, Issue 7, 2015, Pages 182-186.
 32. Musavimoghadam SR, Sabzeghabaei EA, Ebrahimpour M. Relationship between spiritual understanding and meaningful life with psychological distress in mothers of children exceptional. *International Journal of Tropical Medicine*. Volume 11, Issue 1, 2016, Pages 5-8.
 33. Musavimoghadam SR, Mansouri Akbari. Examining the relationship of belief in God, self-esteem and quality of mate selection in Ilam young girls. *Research Journal of Applied Sciences*. Volume 11, Issue 3, 2016, Pages 72-76.
 34. Mahmoudi T, Karimi K, Arkani M, Farahani H, Nobakht H, Dabiri R, Asadi A, et al. Lack of associations between vitamin D metabolism-related gene variants and risk of colorectal cancer. (2014) *Asian Pacific Journal of Cancer Prevention*, 15 (2), pp. 957-961.
 35. Darvishi M. Antibiotic resistance pattern of uropathogenic methicillin-resistant staphylococcus aureus isolated from immunosuppressive patients with pyelonephritis. (2016) *Journal of Pure and Applied Microbiology*, 10 (4), pp. 2663-2667.
 36. Darvishi M. Virulence factors profile and antimicrobial resistance of acinetobacter baumannii strains isolated from various infections recovered from immunosuppressive patients. (2016) *Biomedical and Pharmacology Journal*, 9 (3), pp. 1057-1062.
 37. Sanayei A, Rajabion L. Critical successful factors contributing to e-commerce adoption among Iranian SMEs. (2009) *International Journal of Information Science and Management*, 7 (2), pp. 57-65.
 38. Siyahi V, Habibi-Yangjeh A, Latifi-Navid S, Asadi A. Microwave-Assisted One-Pot preparation of AgBr/ZnO nanocomposites as highly efficient Visible-Light photocatalyst for inactivation of Escherichia coli. (2015) *Materials Express*, 5 (3), pp. 201-210.
 39. Ravaji B, MashadizadeS, Hashemi A. Introducing optimized validated meshing system for wellbore stability analysis using 3D finite element method. *Journal of Natural Gas Science and Engineering*. Volume 53, May 2018, Pages 74-82.
 40. Sotoudeh A, Jahanshahi A, Zareiy S, Darvishi M, Roodbari N, Bazzazan A. The influence of low-level laser irradiation on spinal cord injuries following ischemia-reperfusion in rats. *Acta Cir Bras*. 2015 Sep;30(9):611-6.
 41. Rajabion L, Kheirabadi A. Information technology: It's role in facilitating the sharing and transfer of knowledge in small medium sized enterprises. (2011) *KMIS 2011 - Proceedings of the International Conference on Knowledge Management and Information Sharing*, pp. 275-282.
 42. Tavan H, Sayehmiri K, Taghinejad H, Mousavi Moghadam SR. Factor Analysis of Spiritual Health on the Islam Viewpoint. *Iran J Public Health*. 2015 Nov;44(11):1572-3.
 43. Mousavimughaddam SR. Healthy man and its role in the spiritual health and mental health from the viewpoints of rene descartes and allamah tabatabaei based on the interpretative attitude of almizan. 2014, *Journal of Zanjan University of Medical Sciences and Health Services*. 22(90), pp. 33-44
 44. Negahdary M, Habibi-Tamijani A, Asadi A, Ayati S. Synthesis of zirconia nanoparticles and their ameliorative roles as additives concrete structures. (2013) *Journal of Chemistry*, art. no. 314862.
 45. Mahmoudi T, Majidzadeh-A K, Farahani H, Mirakhorli M, Dabiri R, Nobakht H, Asadi A. Association of Vitamin D receptor gene variants with polycystic ovary syndrome: A case control study. (2015) *Iranian Journal of Reproductive Medicine*, 13 (12), pp. 793-800.
 46. azar A, Shamsazar F, Asadi A, Rezaei-zarchi S. A glucose biosensor based on glucose oxidase enzyme and ZnO nanoparticles modified carbon paste electrode. (2016) *International Journal of Electrochemical Science*, 11 (12), pp. 9891-9901.
 47. Bahador M, Keshtkar MM, Zariie A. Numerical and experimental investigation on the breast cancer tumour parameters by inverse heat transfer method using genetic algorithm and image processing. 2018, *Sadhana - Academy Proceedings in Engineering Sciences*. 43(9),142
 48. Keshtkar MM, Khani AG. Exergoeconomic analysis and optimization of a hybrid system based on multi-objective generation system in Iran: a case study. 2018, *Renewable Energy Focus*. 27, pp. 1-13.